

WHAT IS CLAIMED IS:

1. A control device which controls, by transmitting a control signal to it, an electric apparatus that receives information transmitted via a transmission medium, comprising:

transmitting means for transmitting the control signal to the electric apparatus;

receiving means for receiving additional information that has been extracted from the received information and transmitted by the electric apparatus; and

output means for outputting the additional information received by the receiving means to a display device.

2. The control device according to claim 1, wherein the additional information is an EPG that is included in the information received by the electric apparatus.

3. The control device according to claim 1, wherein the additional information is advertisement information that is included in the information received by the electric apparatus.

4. The control device according to claim 1, further comprising:

selecting means for selecting information from the additional information received by the receiving means; and

detachable storing means for storing the information selected by the selecting means.

005413 12500

006221 ET 5/60

5. The control device according to claim 1, further comprising:

second storing means for storing the additional information received by the receiving means;

second selecting means for selecting information from the additional information stored in the second storing means; and

second transmitting means for transmitting the information selected by the second selecting means to a second electric apparatus.

6. The control device according to claim 1, further comprising notifying means for notifying a user of reception of the additional information when the receiving means automatically receives the additional information.

7. A control method for controlling, by transmitting a control signal to it, an electric apparatus that receives information transmitted via a transmission medium, comprising:

a transmitting step of transmitting the control signal to the electric apparatus;

a receiving step of receiving additional information that has been extracted from the received information and transmitted by the electric apparatus; and

an output step of outputting the additional information received in the receiving step to a display device.

3. A transmission medium for transmitting a computer program that is used in a control device which controls, by transmitting a control signal to it, an electric apparatus that receives information transmitted via a transmission medium, the computer program comprising:

a transmitting step of transmitting the control signal to the electric apparatus;

a receiving step of receiving additional information that has been extracted from the received information and transmitted by the electric apparatus; and

an output step of outputting the additional information received in the receiving step to a display device.

9. A control method comprising the steps of:

storing the computer program transmitted from the transmission medium according to claim 8; and

performing a control by using the computer program.

10. An electric apparatus which receives information that is transmitted via a transmission medium and performs an operation in accordance with a control signal that is transmitted from a control device, comprising:

first receiving means for receiving the control signal transmitted from the control device;

control means for performing a control in accordance with the control signal received by the first receiving means;

second receiving means for receiving the information transmitted via the transmission medium;

extracting means for extracting additional information from the information received by the second receiving means; and

transmitting means for transmitting the additional information extracted by the extracting means to the control device.

11. A control method of an electric apparatus which receives information that is transmitted via a transmission medium and performs an operation in accordance with a control signal that is transmitted from a control device, comprising:

a first receiving step of receiving the control signal transmitted from the control device;

a control step of performing a control in accordance with the control signal received in the first receiving step;

a second receiving step of receiving the information transmitted via the transmission medium;

an extracting step of extracting additional information from the information received in the second receiving step; and

a transmitting step of transmitting the additional information extracted in the extracting step to the control

005113 12500

device.

12. A transmission medium for transmitting a computer program used in an electric apparatus which receives information that is transmitted via a transmission medium and performs an operation in accordance with a control signal that is transmitted from a control device, the computer program comprising:

a first receiving step of receiving the control signal transmitted from the control device;

a control step of performing a control in accordance with the control signal received in the first receiving step;

a second receiving step of receiving the information transmitted via the transmission medium;

an extracting step of extracting additional information from the information received in the second receiving step; and

a transmitting step of transmitting the additional information extracted in the extracting step to the control device.

13. A control method of an electric apparatus, comprising the steps of:

storing the computer program transmitted from the transmission medium according to claim 12; and

controlling the electric apparatus by using the

005221 ETTS260

computer program.

14. An electric apparatus system comprising an electric apparatus which receives information that is transmitted via a transmission medium and a control device which controls the electric apparatus by transmitting a control signal to the electric apparatus, the electric apparatus comprising:

first receiving means for receiving the control signal transmitted from the control device;

control means for performing a control in accordance with the control signal received by the first receiving means;

second receiving means for receiving the information transmitted via the transmission medium;

extracting means for extracting additional information from the information received by the second receiving means; and

first transmitting means for transmitting the additional information extracted by the extracting means to the control device, the control device comprising:

second transmitting means for transmitting the control signal to the electric apparatus;

third receiving means for receiving the additional information transmitted from the first transmitting means of the electric apparatus; and

0975113 122900

output means for outputting the additional information received by the third receiving means to a display device.

15. A control method of an electric apparatus system comprising an electric apparatus which receives information that is transmitted via a transmission medium and a control device which controls the electric apparatus by transmitting a control signal to the electric apparatus, an electric-apparatus-side part of the control method comprising:

a first receiving step of receiving the control signal transmitted from the control device;

a control step of performing a control in accordance with the control signal received in the first receiving step;

a second receiving step of receiving the information transmitted via the transmission medium;

an extracting step of extracting additional information from the information received in the second receiving step; and

a first transmitting step of transmitting the additional information extracted in the extracting step to the control device, a control-device-side part of the control method comprising:

a second transmitting step of transmitting the control signal to the electric apparatus;

a third receiving step of receiving the additional

005113 122500

information transmitted in the first transmitting step of the electric-apparatus-part of the control method; and

an output step of outputting the additional information received in the third receiving step to a display device.

16. A transmission medium for transmitting a computer program used in an electric apparatus system comprising an electric apparatus which receives information that is transmitted via a transmission medium and a control device which controls the electric apparatus by transmitting a control signal to the electric apparatus, an electric-apparatus-side part of the computer program comprising:

a first receiving step of receiving the control signal transmitted from the control device;

a control step of performing a control in accordance with the control signal received in the first receiving step;

a second receiving step of receiving the information transmitted via the transmission medium;

an extracting step of extracting additional information from the information received in the second receiving step; and

a first transmitting step of transmitting the additional information extracted in the extracting step to the control device, a control-device-side part of the computer program comprising:

a second transmitting step of transmitting the control signal to the electric apparatus;

a third receiving step of receiving the additional information transmitted in the first transmitting step of the electric-apparatus-part of the control method; and

an output step of outputting the additional information received in the third receiving step to a display device.

17. A control method of an electric apparatus system, comprising the steps of:

storing the computer program transmitted from the transmission medium according to claim 16; and

controlling the electric apparatus system by using the computer program.

18. The control device according to claim 4, wherein the detachable storing means is an IC card.

19. The control device according to claim 4, further comprising erasing means for erasing the information stored in the detachable storing means.

20. The control device according to claim 1, wherein the control device instructs the electric apparatus to transmit the additional information.

21. The control device according to claim 1, further comprising notifying means for notifying a user of reception of the additional information when the receiving means receives the additional information that is transmitted in

0975113 122900

response to an instruction that was issued from the control device.

22. The electric apparatus according to claim 10, wherein the electric apparatus is a personal computer.

23. The electric apparatus according to claim 10, wherein the electric apparatus is a television receiver.

24. The electric apparatus according to claim 10, wherein the electric apparatus is a recording apparatus.

25. The control device according to claim 1, wherein the output means outputs that part of the additional information which relates to a channel of current reception of the electric apparatus.

26. The control device according to claim 1, wherein the output means outputs that part of the additional information which relates to information that will be received by the electric apparatus from a present time onward.

27. The control device according to claim 5, wherein the second electric apparatus is a recording apparatus, and wherein the recording apparatus performs a recording reservation based on the information transmitted from the control device.

28. The control device according to claim 3, wherein the advertisement information includes coupon information.

29. The control device according to claim 3, wherein

005443 12000

the advertisement information includes URL information.

30. The control device according to claim 4, wherein the additional information is advertisement information that is included in the information received by the electric apparatus, and wherein the advertisement information is stored in a prescribed area of the detachable storing means.

31. The control device according to claim 5, wherein the second electric apparatus is a personal computer, and wherein the personal computer accesses a server based on the information transmitted from the control device.

32. The control device according to claim 1, further comprising category storing means for storing a category favored by a user, wherein the receiving means receives only that part of the additional information transmitted from the electric apparatus which belongs to the category stored in the category storing means.

006221" E1115/60

ADD
A1